

Development Document for Proposed Effluent Guidelines and Standards for the Construction and Development Category

June 2002



PATTERN NO. 1 ALLM. TRIM

Development Document for Proposed Effluent Guidelines and Standards for the Construction and Development Category

June 2002

United States Environmental Protection Agency
Office of Water (4303T)
1200 Pennsylvania Avenue, NW
Washington, DC 20460
www.epa.gov/waterscience/guide/

[EPA-821-R-02-007]

Acknowledgments and Disclaimer

The Construction and Development Effluent Guidelines proposed rule and support documents were prepared by the C&D Project Team: Eric Strassler, Project Manager; Jesse Pritts, P.E., Engineer; George Denning, Economist; Karen Maher, Environmental Assessor; and Michael G. Lee, Attorney. Technical support for this Development Document was provided by Tetra Tech, Inc.

Neither the United States government nor any of its employees, contractors, subcontractors or other employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for any third party's use of, or the results of such use of, any information, apparatus, product or process discussed in this report, or represents that its use by such a third party would not infringe on privately owned rights. Mention of trade names or commercial products does not constitute endorsement by EPA or recommendation for use.

Contents

SECT	ION 1: SUMMARY AND SCOPE			
1.1 1.2	Introduction			
SECT	ION 2: BACKGROUND			
2.1	Legal Authority	2-1		
2.2	Clean Water Act			
	2.2.1 Best Practicable Control Technology Currently Available			
	2.2.2 Best Conventional Pollutant Control Technology			
	2.2.3 Best Available Technology Economically Achievable			
	2.2.4 New Source Performance Standards	2-3		
	2.2.5 Pretreatment Standards for Existing Sources and Pretreatment Standards for New	٠,		
	Sources			
	2.2.6 Effluent Guidelines Schedule2.2.7 NPDES Phase I and II Storm Water Rules			
2.3	Pollution Prevention Act of 1990			
2.4	State Regulations			
2.5	References			
SECT	ION 3: DATA COLLECTION			
3.1	Introduction	3-1		
3.2	Literature Search			
3.3	Compilation of State and Municipal Existing Control Strategies, Criteria,			
	and Standards	3-1		
3.4	Other Data Sources	3-5		
	3.4.1 Phase II Storm Water Rule Economic Analysis			
	3.4.2 USDA National Resource Inventory			
	3.4.3 National Storm Water BMP Database	3-5		
	3.4.4 BMP Design Manuals and Guidance Documents Developed by Governmental and			
	Other Organizations			
3.5	References	3-6		
SECT	ION 4: INDUSTRY PROFILE			
4.1	Introduction	4-1		
4.2	Industry Description			
1.2	4.2.1 Industry Definition and Classification of Subsectors by NAIC and SIC Codes			
	4.2.2 Residential Building Construction Group			
	4.2.3 Nonresidential Building Construction Group			

June 2002

Development Document for Construction and Development Proposed Effluent Guidelines

4.3	4.2.4 Industr 4.3.1 4.3.2	Overview of Constru Construction Site Siz 4.3.2.1 National Esti 4.3.2.2 Distribution	ction Land-distract Categories and mates of Disturbof Acreage by Properties	Irbing Activities I Estimates of Amount of Disturbed Land Ded Acreage Troject Type Dereage by Project Size and Geography	4-23 4-23 4-26 4-26 4-28
4.4	Refere				
SECT	TON 5:	TECHNOLOGY ASS	SESSMENT		
5.1	Constr	uction Erosion and Sec	diment Controls		5-1
	5.1.1	Introduction			5-1
	5.1.2			nt	
				Goals	
		5.1.2.2 Goals, Enviro	onmental Impact	Areas, and Assessment Scales	5-3
				ve Assessment	
	5.1.3	Review of Historical	Approaches to I	Erosion and Sediment Control	5-5
	5.1.4	Goals, Control Strate	gies, Criteria, an	d Standards	5-8
		5.1.4.1 Goals, Contr	ol Strategies, Cr	iteria, And Standards: How They Relate	5-8
		5.1.4.2 Levels of Per	formance or "H	ow Well Do The Strategies Work?"	5-10
		5.1.4.3 Strategies, C	riteria, Standard	s, And Enforcement	5-10
5.1.5	Control Techniques, BMP Systems5-				5-14
		5.1.5.1 Erosion Cont	trol and Preventi	on	5-14
		5.1.5.1.1	Planning, Sta	iging, Scheduling	5-14
		5.1.5.1.2	Vegetative S	tabilization	5-17
			5.1.5.1.2.1	Grass-lined Channels	5-21
			5.1.5.1.2.2	Seeding	5-24
			5.1.5.1.2.3	Sodding	5-27
			5.1.5.1.2.4	Mulching	
			5.1.5.1.2.5	Geotextiles	5-33
			5.1.5.1.2.6	Vegetated Buffer Strips	5-35
			5.1.5.1.2.7	Erosion Control Matting	5-37
			5.1.5.1.2.8	Topsoiling	5-40
		5.1.5.2 Water Handl	ing Practices		5-42
		5.1.5.2.1	Earth Dike .		5-42
		5.1.5.2.2	Temporary S	wale	5-44
		5.1.5.2.3	Temporary S	torm Drain Diversion	5-51
		5.1.5.2.4	Pipe Slope D	rain	5-53
		5.1.5.2.5		Dam	
		5.1.5.2.6		ways	
		5.1.5.3 Sediment Tra		• • • • • • • • • • • • • • • • • • • •	
		5.1.5.3.1			
		5.1.5.3.2		nce	
		5.1.5.3.3		Dike	
		5.1.5.3.4		ıp	

June 2002 ii

		5.1.5.3.5	Sediment Basin	. 5-81	
		5.1.5.4 Other Contro	ol Practices	. 5-88	
		5.1.5.4.1	Stone Outlet Structure	. 5-88	
		5.1.5.4.2	Rock Outlet Protection	5-90	
		5.1.5.4.3	Sump Pit	5-93	
		5.1.5.4.4	Sediment Tank		
		5.1.5.4.5	Stabilized Construction Entrance		
		5.1.5.4.6	Land Grading	5-98	
		5.1.5.4.7	Temporary Access Waterway Crossing		
		5.1.5.4.8	Dust Control		
		5.1.5.4.9	Storm Drain Inlet Protection	5-106	
		5.1.5.4.10	Polyacrylamide (PAM)	5-108	
	5.1.6	Summary		5-112	
5.2	Refere				
SECT	TION 6:	REGULATORY DEV	VELOPMENT AND RATIONALE		
6.1	Identif	fication of Industry Imp	pacts	6-1	
	6.1.1	Pollutant Indicators		6-1	
	6.1.2	Physical/habitat India	cators	6-4	
6.2	Develo	opment of Regulatory (Options	6-5	
6.3	Regulatory Options Developed for the Proposed Rule				
	6.3.1	Option 1 Inspection a	and Certification	6-7	
	6.3.2	Option 2 Codify EPA	A CGP Requirements with Site Inspection and Certification		
		Provisions		6-9	
	6.3.3	Option 3 No Regulat	ion	. 6-15	
6.4	Refere	ences		. 6-15	
SECT	TION 7:	APPROACH TO EST	FIMATING COSTS		
7.1					
7.2			ion and Sediment Control Costs		
	7.2.1				
	7.2.2		at Control Costs		
7.3			inistrative Costs		
	7.3.1				
	7.3.2		to Permittees		
	7.3.3		for General Permit Revisions		
7.4	Refere	ences		. 7-15	
Ap	pendi	ices			
A.			trol of Construction Storm Water		
B.	Suppo	rting Cost Data		. B-1	

June 2002 iii

Tables

Table 3-1.	State or Regional Planning Authority Requirements for Water Quality Protection 3-
Table 3-2.	Municipal or Regional Planning Authority Requirements
Table 4-1.	1997 NAICS Subsectors, Industry Groups, and Industries Performing Construction
	Activities That Might Disturb Land4-
Table 4-2.	1987 SIC Industry Groups Performing Construction Activities
	That May Disturb Land4-
Table 4-3.	Annual Housing Construction Starts by Type and Region
Table 4-4.	Residential Construction Industry Profile for 1997
Table 4-5.	Busiest Markets for Single-Family Housing Permits for 1999
Table 4-6.	Busiest Markets for Multifamily Housing Permits for 1999 4-1
Table 4-7.	Changes in Housing Starts by Region (1989 and 1999)
Table 4-8.	Value of Construction Work for Manufacturing and Industrial Building Construction
	Establishments With Payroll by Type of Construction
Table 4-9.	Value of Manufacturing and Industrial Building Construction Work for
	Establishments With Payroll by Location of Construction Work, 1997 4-1
Table 4-10.	Value of Construction Work for Commercial and Institutional Building Construction
	Establishments With Payroll by Type of Construction, 1997 4-1
Table 4-11.	Value of Commercial and Institutional Building Construction Work for
	Establishments With Payroll by Location of Construction Work, 1997 4-2
Table 4-12.	Overview of Heavy Construction Industry, 1992 and 1997
Table 4-13.	Acres Converted from Undeveloped to Developed State, 1992-1997 4-2
Table 4-14.	New Single-Family and Multifamily Housing Units Authorized, 1995-1997 4-2
Table 4-15.	Average and Median Lot Size for New Single-Family
	Housing Units Sold, 1995-1997
Table 4-16.	Average Building Square Footage
Table 4-17.	Typical Building Sizes and Size Ranges by Type of Building
Table 4-18.	National Estimates of Land Area Developed Per Year, Based on Building
	Permit Data
Table 4-19.	National Estimates of Land Area Disturbed Based on National Resources Inventory
	Totals
Table 4-20.	Distribution of 14 Community Survey Permits by Site Size
Table 4-21.	Distribution of National Construction by Site Size and Development Type 4-3
Table 5-1.	Description of Levels of Performance of Three Control Strategies
Table 5-2.	Descriptions of Levels of Difficulty in Enforcement
Table 5-3.	Scheduling Considerations for Construction Activities Enforcement 5-1
Table 5-4.	Conditions Where Vegetative Streambank Stabilization Is Acceptable 5-2
Table 5-5.	Maximum Permissible Velocities for Individual Site Conditions
	for Grass Swales
Table 5-6.	Typical Mulching Materials and Application Rates
Table 5-7.	Measured Reductions in Soil Loss for Different Mulch Treatments 5-3
Table 5-8.	Cubic Yards of Topsoil Required for Application to Various Depths 5-4
Table 5-9.	Grassed Swale Pollutant Removal Efficiency Data
Table 5-10.	Average Annual Operation and Maintenance Costs for a Grass Swale 5-5

June 2002 iv

Development Document for Construction and Development Proposed Effluent Guidelines

Table 5-11.	Recommended Pipe/Tubing Sizes for Slope Drains	. 5-54
Table 5-12.	Slope Drain Characteristics	
Table 5-13.	Maximum Slope Lengths for Silt Fences	
Table 5-14.	Typical Requirements for Silt Fence Fabric	
Table 5-15.	Slope Lengths for Super Silt Fences	
Table 5-16.	Minimum Requirements for Super Silt Fence Geotextile Class F Fabric	
Table 5-17.	Maximum Land Slope and Distances Above a Straw Bale Dam	. 5-74
Table 5-18.	Weir Length for Sediment Traps	. 5-78
Table 5-19.	Range of Measured Long-Term Pollutant Removal for Sediment Detention Basins	. 5-79
Table 5-20.	Common Concerns Associated with Sediment Traps	. 5-80
Table 5-21.	Common Concerns Associated with Sediment Basins	. 5-86
Table 5-22.	Riprap Sizes and Thicknesses (SHA Specifications)	. 5-91
Table 5-23.	Application Rates for Spray-On Adhesives	5-105
Table 5-24.	Turbidity Reduction Values from PAM	5-110
Table 5-25.	Summary of Information on Erosion Control and Prevention	
	BMPs (Sub-section 5.1.5.1)	5-112
Table 5-26.	Summary of Information on Erosion Control and Prevention	
	BMPs (Sub-section 5.1.5.2)	5-116
Table 5-27.	Summary of Information on Erosion Control and Prevention	
	BMPs (Sub-section 5.1.5.3)	5-119
Table 5-28.	Summary of Information on Erosion Control and Prevention	
	BMPs (Sub-section 5.1.5.4)	5-122
Table 7-1.	Total Costs of Proposed Rule Options	7-1
Table 7-2.	Regional compliance Cost Adjustment Factors	
Table 7-3.	Construction Site ESC BMP Descriptions and Site Thresholds	
Table 7-4.	Components of Existing State Erosion and Sediment Control Requirements	7-7
Table 7-5.	State Acreage Equivalent to Proposed Option 2	7-9
Table 7-6.	Construction ESC BMP Design and Operation and Maintenance Costs as a	
	Percentage of Capital Costs	. 7-10
Table 7-7.	Evaluated construction Site BMPs that Augment the Suite of	
	Baseline BMPs	. 7-11
Table 7-8.	BMP Quantity Adjustment Factors for Baseline and Proposed Options	. 7-12
Table 7-9.	National Cost Estimates for Proposed Rule Options	. 7-13
Table 7-10.	One-Time Hours and Costs to Incorporate Erosion and Sediment Control	
	Effluent Guidelines Requirements into General Permits	. 7-14
Figures		
Figure 4-1.	Annual Housing Starts	ΛQ
Figure 4-1. Figure 4-2.	Bureau of Census Housing Regions	
Figure 4-2. Figure 4-3.	Annual Housing Starts by Region	
Figure 4-3. Figure 4-4.	Value of Heavy construction work by region, 1997	
		. 4-23
Figure 5-1.	Flow Diagram Showing Relationship Among Goals, Strategies, Criteria,	5.0
Figure 7-1.	and Standards	

June 2002